

# Introduction to Altro smooth flooring

Smooth flooring gives you what you want - an attractive look that's easy to install. Ideal equally for the office and high street environments, it creates the background for a high spec design. Altro smooth flooring gives you good looks, durability and hygienic properties making it ideal for everyday workspaces.

Altro smooth flooring comes in a variety of colours including wood-look design for a warm and inviting environment.

## Smooth flooring in brief:

- hygienic
- easy to install
- easy to maintain
- flexible
- retains appearance
- attractive finish
- acoustic options
- looks great with Altro safety flooring and wall cladding





University of British Columbia

## Altro Wood Smooth™

Typical applications:

**Care homes. Hospital. Hospitality. Education. Retail.**

This attractive wood-look smooth flooring gives an easy to maintain surface, perfect for areas where aesthetics are the priority. Altro Wood Smooth shares the same palette with all the Altro Wood collection ranges, allowing you to benefit from the sustained slip resistance of Altro Wood Safety or the sound reduction of Altro Wood Smooth Acoustic. It can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.



We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages.

See [www.altro.co.uk/safety](http://www.altro.co.uk/safety) for more information.



Matches:

- Altro Wood Safety
- Altro Wood Smooth Acoustic

For guidance on matching types of flooring see pages 104-105.



Contributes to reducing the environmental impact of your specification:

- A+ BRE Generic Green Guide Rating for Smooth Vinyl Flooring, full details available at [www.thegreenguide.org.uk](http://www.thegreenguide.org.uk)





**Flaxen Oak**WSM2054 LRV: 38  
WR338 / A1M27**White Oak**WSM2051 LRV: 52  
WR335 / A1M335**Light Maple**WSM2055 LRV: 24  
WR339 / A1M339**Warm Beech**WSM2058 LRV: 36  
WR342 / A1M224**Pale Cherry**WSM2052 LRV: 22  
WR336 / A1M239**Classic Cherry**WSM2053 LRV: 17  
WR337 / A1M337**Mellow Oak**WSM2056 LRV: 37  
WR340 / A1M340**Mid Walnut**WSM2057 LRV: 15  
WR341 / A1M160**Mature Oak**WSM2062 LRV: 8  
WR346 / A1M62**Mature Walnut**WSM2061 LRV: 6  
WR345 / A1M62**Rich Cherry**WSM2059 LRV: 15  
WR343 / A1M246**Red Maple**WSM2060 LRV: 10  
WR344 / A1M41**Victorian Oak**WSM2070 LRV: 10  
WR227 / A1M227**Black Oak**WSM2064 LRV: 7  
WR348 / A1M200**Greyed Oak**WSM2063 LRV: 38  
WR347 / A1M200**Forest Oak**WSM2069 LRV: 25  
WR353 / A1M225

EN14041

Manufactured by:  
Altro Ltd, Works Road  
Letchworth Garden City  
SG6 1NW  
United KingdomFor an unobtrusive appearance,  
colour matched **Weldrods (WR)** and  
**Mastics (A1M)** are available. You'll  
find their product codes under the  
relevant swatches.

LRV: Light Reflectance Value

Dimensions  
**2m x 20m**Format  
**ROLL**Thickness  
**2mm****Samples**If colour choice is critical,  
please request a sample  
of the material

☎ 01462 707 700

✉ samples@altro.com



## Altro Wood Smooth Acoustic™

Typical applications:

**Student accommodation. Education. Care homes.  
Government buildings. Social housing.**

Altro Wood Smooth Acoustic provides all the aesthetic qualities of Altro Wood Smooth. It also offers noise reduction with sound absorption of 18dB. It is perfect for environments where sound reduction will improve the wellbeing of your users in potentially noisy places like halls of residence!



We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages.

See [www.altro.co.uk/safety](http://www.altro.co.uk/safety) for more information.



Matches:

- **Altro Wood Safety**
- **Altro Wood Smooth**

For guidance on matching types of flooring see pages 104-105.



Contributes to reducing the environmental impact of your specification:

- A+ BRE Generic Green Guide Rating for Smooth Vinyl Flooring, full details available at [www.thegreenguide.org.uk](http://www.thegreenguide.org.uk)



**Lull**

WSMA3782 LRV: 15  
WR341 / A1M160

**Haven**

WSMA3783 LRV: 36  
WR342 / A1M224

**Hush**

WSMA3781 LRV: 38  
WR338 / A1M27

**Karma**

WSMA3784 LRV: 15  
WR343 / A1M246



EN14041

Manufactured by:  
Altro Ltd, Works Road  
Letchworth Garden City  
SG6 1NW  
United Kingdom



For an unobtrusive appearance, colour matched **Weldrods (WR)** and **Mastics (A1M)** are available. You'll find their product codes under the relevant swatches.

LRV: Light Reflectance Value



Dimensions  
**2m x 20m**

Format  
**ROLL**

Thickness  
**3.7mm**

**Samples**

If colour choice is critical, please request a sample of the material

**01462 707 700**

**samples@altro.com**





Worcester Royal Hospital MLU

## Altro Zodiac Smooth™

Typical applications:

**Care homes. Children's hospitals. Clinics. Student accommodation. School classrooms and corridors. Galleries. Retail. Offices.**

Altro Zodiac Smooth is a bit of a looker, but it's not just a pretty face. It also provides an adaptable design that works anywhere and hits the mark on durability. It's great in large areas, from care homes to student accommodation. Altro Zodiac Smooth comes in a range of 24 colours, chosen to reflect your mood: warm, cool, neutral or vibrant. So express your true colours.

It is easy to maintain and can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.




**Hologram**

ZD2001 LRV: 57  
WR311 / A1M200



**Zenith**

ZD2002 LRV: 43  
WR312 / A1M79




**Comet**

ZD2003 LRV: 33  
WR313 / A1M200




**Capricorn**

ZD2004 LRV: 10  
WR314 / A1M200



**Nirvana**

ZD2014 LRV: 33  
WR324 / A1M200



**Cosmos**

ZD2015 LRV: 24  
WR325 / A1M200



**Gravity**

ZD2005 LRV: 6  
WR315 / A1M200



We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages.

See [www.altro.co.uk/safety](http://www.altro.co.uk/safety) for more information.



Looks great with:

- Altro Whiterock
- Altro Suprema




Contributes to reducing the environmental impact of your specification:

- A+ BRE Generic Green Guide Rating for Smooth Vinyl Flooring, full details available at [www.thegreenguide.org.uk](http://www.thegreenguide.org.uk)




**Vision**


ZD2013 LRV: 29  
WR323 / A1M200

**Pisces**

ZD2009 LRV: 23  
WR319 / A1M200

**Voyage**

ZD2010 LRV: 17  
WR320 / A1M200

**Libra**

ZD2008 LRV: 19  
WR318 / A1M71

**Utopia**

ZD2006 LRV: 66  
WR316 / A1M200

**Terrain**

ZD2012 LRV: 17  
WR322 / A1M239

**Apex**

ZD2011 LRV: 31  
WR321 / A1M20

**Planet**

ZD2019 LRV: 42  
WR329 / A1M247

**Celestial**

ZD2018 LRV: 65  
WR328 / A1M11

**Aries**


ZD2020 LRV: 12  
WR330 / A1M41

**Flare**

ZD2022 LRV: 14  
WR332 / A1M200

**Solar**

ZD2024 LRV: 44  
WR334 / A1M200

**Oxygen**


ZD2007 LRV: 41  
WR317 / A1M200

**Aura**


ZD2016 LRV: 39  
WR326 / A1M200

**Infinity**

ZD2023 LRV: 16  
WR333 / A1M200

**Spectre**

ZD2021 LRV: 16  
WR331 / A1M134

**Meteor**

ZD2017 LRV: 33  
WR327 / A1M200



EN14041

Manufactured by:  
Altro Ltd, Works Road  
Letchworth Garden City  
SG6 1NW  
United Kingdom



For an unobtrusive appearance,  
colour matched **Weldrods (WR)** and  
**Mastics (A1M)** are available. You'll  
find their product codes under the  
relevant swatches.

LRV: Light Reflectance Value



Dimensions  
**2m x 20m**

Format  
**ROLL**

Thickness  
**2mm**

**Samples**

If colour choice is critical,  
please request a sample  
of the material

☎ **01462 707 700**

✉ **samples@altro.com**