Introduction to Altro wall cladding

With over 30 years' experience, we know a thing or two about wall cladding. Effective, impervious, protective wall cladding can make all the difference when it comes to easy, low-cost maintenance and hygiene across a wide range of environments.

We have two solutions, Altro Whiterock hygienic wall cladding and Altro Fortis wall protection. Choosing your wall cladding solution is simple; it's all about where you need to use it.

Is hygiene critical?

For areas where hygiene is paramount, we recommend the Altro Whiterock hygienic wall cladding range (see pages 48 and 50). Typical installations include clinical areas such as operating theatres, wards and labs, plus kitchens and bathrooms.

Is wall protection, rather than hygiene, the key driver?

For non-clinical, busy public and service areas, we recommend Altro Fortis, our protection system for walls, doors and corners (see pages 48 and 62). This hard-wearing, scuff-resistant option has a lightly textured surface and it is ideal for areas subjected to high levels of traffic such as school corridors.

The Altro Whiterock hygienic wall cladding range is great for a high-end look or if a smooth surface is what's required.



Wall cladding technical chart

| Technical chart | | Altro Whiterock White | Altro Whiterock Satins | Altro Whiterock Chameleon | Altro Whiterock Splashbacks | Altro Fortis Titanium | Altro Fortis corner protection |
|-----------------------------------|-------------------|--------------------------|---------------------------|------------------------------|--------------------------------|--------------------------|-----------------------------------|
| Guarantee | | 20 | 20 | 20 | 20 | 20 | 20 |
| Life expectancy | | 25 | 25 | 25 | 25 | 25 | 25 |
| Surface | | Satin | Satin | High Gloss | *dependent on product | Textured | Textured |
| Thickness | | 2.5mm | 2.5mm | 2.5mm | 2.5mm | 2.5mm | 2.5mm |
| Weight | | 3.5kg/m ² | 3.5kg/m ² | 3.5kg/m ² | 3.5kg/m ² | 3.5kg/m ² | 3.5kg/m ² |
| Density | ISO 1183 | 1.39 | 1.39 | 1.38-1.42 | 1.38-1.42 | 1.39 | 1.39 |
| Hygiene | | High | High | High | High | Moderate | Moderate |
| Ease of cleaning | | Easy | Easy | Easy | Easy | Easy | Easy |
| Chemical resistance | | High | High | High | High | High | High |
| | BS 476 pt 7 | Class 1 | Class 1 | Class 1 | Class 1 | - | - |
| Fire tests | BS 476 pt 6 | Class 0 | Class 0 | Class 0 | Class 0 | - | - |
| | EN13501 | B s3 d0 | B s3 d0 | B s3 d0 | B s3 d0 | B s3 d0 | B s3 d0 |
| Max service temperature | | 60°C | 60°C | 60°C | 60°C | 60°C | 60°C |
| Water absorption | ISO 62 | 0.09 | 0.09 | 0.09 | 0.09 | ≤0.1% | ≤0.1% |
| Shore hardness | ISO 868 | 79 | 79 | 85 | *dependent on product | 79 | 79 |
| Impact resistance | Charpy ISO 179 | Good | Good | Good | Good | Excellent | Excellent |
| Gardner Impact resistance (in-lb) | ASTM D4226 | - | - | - | - | 131 | 131 |

* Contact Altro for further information



Types of Altro Whiterock hygienic wall cladding

Classic solution

Altro Whiterock White is the timeless alternative to ceramic tiles for areas where hygiene and durability are paramount – like commercial kitchens, clinical areas, clean rooms and laundries.

Versatile solution

Available in a range of solid, satin-finish shades – from subtle pastels through to vivid brights – Altro Whiterock Satins can be used where aesthetics are important and you want to create a particular mood. It's ideal for bathrooms, operating theatres, wards and splashbacks.

"Create the right impression with your chosen photographic image or art reproduced onto wall cladding."

Inspirational solutions

When you want to make a bold statement, choose Altro Whiterock Chameleon – the glossy, vibrant hygienic wall cladding that adds a touch of luxury to 'high-end' bathrooms, foyers, serveries, retail and splashbacks.

Create the right impression with your chosen photographic image or art reproduced onto wall cladding. From company logos to calming landscapes, Altro Whiterock Digiclad is a great choice for feature walls in foyers, wards, patient rooms, operating theatres, recovery rooms and coffee shops.

Add the finishing touch to your interior with bespoke Altro hygienic doorsets. Available in a wide range of colours, finishes, sizes and configurations, they can be customised to your exact requirements and are ideal for areas where durability and cleanability are key.

Total solution

Need to meet the most rigorous hygiene regulations? Create an impervious, airtight and watertight system with Altro Whiterock hygienic doorsets (see page 72), Altro Whiterock hygienic wall cladding and Altro flooring.





How to order accessories

To order matching sealants and trims simply select from the list below and add the two or three digit colour reference number, under the swatch shown on each product page.

Wall cladding accessories:

- Altro Whiterock weld WSR_
- For jointing / transition edging strips, see page 67.

Altro Whiterock accessories:

- Colour co-ordinated sealant A805/_
- To order white sealant, simply quote A802.

Altro Fortis accessories:

Altro Mastic XT[™] dries harder than standard mastic, reducing build-up of dirt and making it easier to clean.

• Colour co-ordinated mastic sealant – AXT/_

Altro FlexiTrim[™] has a bevelled top edge trim for dado height, reducing the build-up of dust or dirt. It is supplied in 35m coils.

Top edge trim – Altro FlexTrim/_

Matching doorsets

Doorsets are available in any Altro Whiterock and Altro Fortis colour, see page 72.



Rosemary Shrager's Cookery School


Altro Whiterock White™

Typical applications:

Kitchens: cold store, cook, chill, food prep. Clinical areas. Clean rooms. Laundries. Mortuaries.

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that's impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

Altro Whiterock White is Hazard Analysis and Critical Control Points (HACCP) approved and is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C. It meets all current European Union (EU) Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens.





52

Looks great with: • Altro Stronghold 30

- Altro Classic 25
- Altro Designer 25

Please see technical chart on page 48 for full details.



LRV = Light Reflectance Value

Samples

If colour choice is critical, please request a sample of the material.

© 01462 707 700
samples@altro.com

Dimensions **W103:** 2500 x 1220mm **W104:** 3000 x 1220mm Format **SHEET** Thickness **2.5**mm







Altro Whiterock Satins[™]


Typical applications:

Bathrooms, showers and changing areas. Operating theatres and wards. Splashbacks. Cooking and food preparation areas. Serveries. Kitchens open to public view.

Use colour to subtly create a mood with Altro Whiterock Satins. This versatile and sophisticated wall cladding is available in a range of solid, decorative, satin shades – from soothing and healing through to stimulating.

Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipeclean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed for the requirements of the Equality Act 2010.






- Altro Aquarius
- Altro Unity 25
- Altro Suprema
- Altro Wood Safety
- Altro Whiterock Digiclad
- Altro Designer 25

Please see technical chart on page 48 for full details.









Whittington Hospital

Altro Whiterock Chameleon™

Typical applications:

'High end' bathrooms, showers and changing areas. Foyers. Serveries. Retail. Splashbacks.

Make a bold statement with Altro Whiterock Chameleon - the glossy, vibrant and vividly colourful hygienic wall cladding. Altro Whiterock Chameleon is available in 16 high impact, highdesign shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Altro Whiterock, Altro Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.



• Altro Aquarius

- Altro Unity 25
- Altro Suprema
- · Altro Wood Safety
- Altro Whiterock Digiclad


Please see technical chart on page 48 for full details.





For a co-ordinated appearance, colour matched **Weldrods (WR)** and **Sealants** are available. See page 51.

LRV = Light Reflectance Value







NCH Ohio

Altro Whiterock Digiclad[™]

Typical applications:

Feature walls – foyers and reception areas. Wards and bedrooms. Patient rooms. Operating theatres. Recovery rooms. Coffee shops.

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.

Altro Whiterock Digiclad is created by reproducing a photographic image or vector art onto Altro Whiterock wall cladding, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad ideal for areas where durability is important.



University College London Hospital

Looks great with:

- Altro Whiterock Satins
- Altro Whiterock Chameleon
- Altro Suprema
- Altro Wood Safety
- Altro Unity 25
- Altro Walkway 20
- Altro XpressLay



Hertfordshire NHS trust

Order in 6 easy steps



| Dimensions |
|---------------|
| 2500 x 1220mm |
| 3000 x 1220mm |
| Format |
| SHEET |
| Thickness |
| 2.5 mm |

Digiclad image is ready within 21 working days of being approved



 01462 707600
01462 707600
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
 Q online chat 59 enquiries@altro.com www.altro.co.uk



Alfred Hospital

Altro Whiterock Splashbacks[™]

Typical applications:

Bathrooms. Hydrotherapy. Spas. Changing rooms. Serveries.


Hygienic, low-maintenance, convenient and easy to install...no wonder Altro Whiterock Splashbacks are such a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to coordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock Satins or Altro Whiterock Chameleon ranges, pick your size, and away you go.

| Standard sizes: | |
|---------------------|-----------------------|
| Ref SB10/ 500 x 305 | Ref SB14/ 1220 x 500 |
| Ref SB8/ 625 x 305 | Ref SB13/ 1220 x 625 |
| Ref SB6/ 833 x 305 | Ref SB2/ 2500 x 305 |
| Ref SB9/ 500 x 610 | Ref SB3/ 1250 x 610 |
| Ref SB7/ 625 x 610 | Ref SB12/ 1220 x 833 |
| Ref SB4/ 1250 x 305 | Ref SB11/ 1250 x 1220 |
| Ref SB5/ 833 x 610 | Ref SB1/ 2500 x 610 |

| Dimensions Cut size only, in mm |
|------------------------------------|
| eut size enij, in him |
| Format |
| SHEET |
| Thickness |
| 2.5 mm |
| |





Types of Altro Fortis wall protection

In public areas where feet, bags, equipment and wheels are a constant, maintenance can be ongoing and costly, and cleaning difficult. Altro Fortis is a system that offers seriously tough, 2.5mm thick protection for walls, doors and corners. It is perfect for education, health and retail where appearances matter. The Altro Fortis system keeps interiors safe from impact and scuff damage and looking good for longer.

A complete solution

Altro Fortis can be used in conjunction with Altro 2.5mm safety flooring for an integrated tough and safe environment. It also works well with Altro Whiterock hygienic wall cladding, creating aesthetic consistency between hygienic and general areas.

Tailored protection

The Altro Fortis system is available in three options to ensure protection exactly where needed:

Altro Fortis Titanium™ wall protection / sheet

Altro Fortis[™] door protection (see page 77)

Altro Fortis[™] corner protection (see page 67)





Altro Fortis Titanium[™]

Typical applications:

Public areas subjected to high levels of traffic. Circulation areas. Corridors. Classrooms.

Altro Fortis Titanium is the saviour of busy public areas. Doors and plaster board walls can easily be damaged, be it scrapes and knocks as people pass, or more serious dents and holes caused by wheeled traffic. Altro Fortis Titanium has been specifically designed to protect these surfaces in busy public areas.

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

Available in ten colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall cladding range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements*.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability which is a major advantage within its recommended application areas.

* Conditions apply - please contact us for more information.



- Looks great with:
- Altro Fortis doorsets
- Altro Fortis door protection
- Altro Fortis corner protection
- Altro Classic 25
- Altro Unity 25
- .

Please see technical chart on page 48 for full details.




· Altro Whiterock White

Altro Whiterock Satins

· Altro Whiterock Digiclad

Altro Whiterock Chameleon

Wall cladding | Altro Fortis Titanium






Pearl FT/41

LRV: 83

For a co-ordinated appearance, colour matched **Weldrods (WR)** and **Sealants** are available. See page 51.

LRV = Light Reflectance Value





🗞 01462 707600 💿 enquiries@altro.com 🌐 www.altro.co.uk 🍳 online chat 65



Altro Fortis[™] corner protection

For extra protection on a wall's vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn't right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.



Available in all Altro Fortis Titanium colours, see page 65.

Dimensions: 1.22m x 75mm x 75mm.

Jointing

Joints and junctions are a key part of system integrity. There are two really popular ways of creating junctions between your wall cladding and flooring. One is the overlap method, where the wall cladding overlaps the flooring and the junction is sealed with mastic. The other is the transition strip method.

When you install wall cladding, smooth, secure joints make cleaning easier and help stop dirt, moisture, bacteria or vermin from settling. Altro wall cladding can be secured using one of five different types of joint:

- 1. **Welded:** the most hygienic joint, it's flush to the surface, and the only one suitable for clean rooms and operating theatres. It's also suitable for general hospital use and kitchens.
- Single-part: used for safety reasons, it's ideal for secure units as it can't be pulled off.
- Two-part: the quickest and easiest joint to fit, it's aesthetically pleasing and forgiving on an uneven surface. Often used in kitchens, it can be used almost anywhere except specialist clean areas and secure units.
- 4. Altro Whiterock FlexiJoint: a slim, aesthetically-pleasing joint unique to Altro and available in pre-cut lengths. It can be used nearly everywhere apart from specialist clean areas and secure units.
- 5. Altro Mastic XT: a silicone sealant for use with Altro Fortis which dries harder than standard mastic, reducing build-up of dirt and making it easier to clean.



Samples If colour choice is critical, please request a sample of the material.

samples@altro.com